

NATIONAL RUST REMOVER / CONVERTER PROTECTIVE COATINGS

TECHNICAL DATA SHEET

NATIONAL RUST REMOVER / CONVERTER

PRODUCT	National Rust Remover/Converter is a highly effective, cleaner
DESCRIPTION	for deep and hard rusts on metal surfaces, without making any
	harm to the parent metal. It derusts the surface by chemical
	reaction with the rusts and converts it into soft and soluble
	type. It contains acidic rust inhibitor, which provides a thin
	phosphate coating to the cleaned derusted surface, the substrate
	is suitable for further priming or painting.

RECOMMENDED	National Rust Remover/Converter is recommended for
USES	removing deep and hard rusts or rust stains from the iron/steel
	surfaces, before painting. It promotes the adhesion and
	durability of primer and further coats. If the rusts on the
	surface is not severe or hard, it can be applied with 1:1 dilution
	with water. It is recommend for iron/steel surfaces. Never keep
	the material in metal cans.

TECHNICAL DATA

COLOUR (LIQUID)	Colourless to slightly hazy
APPEARANCE	Liquid
ODOUR	Acidic / Mild
SPECIFIC GRAVITY	1.53 ± 0.05
SPECIAL PRECAUTION	Since it contains acid and other chemicals, use suitable hand gloves and eye protections. Always handle material with care and in case of skin contact wash with plenty of fresh water. Never keep the used material in the metallic tins. Keep away from reach of children.
FLASH POINT	Not applicable

ADVANTAGES

NATIONAL RUST REMOVER /	Highly	effective,	promotes	the	adhesion	of	primer	and
CONVERTER	durabil	ity of furthe	r coats, eas	y app	lication, w	ater	cleanabl	e.







NATIONAL RUST REMOVER / CONVERTER PROTECTIVE COATINGS

TECHNICAL DATA SHEET

APPLICATION INSTRUCTION

SURFACE PREPARATION	Before application, the surface should be sound, clean and from				
	from oil, grease, loose particles, dust, etc. Application can be				
	done by the recommended application method.				

APPLICATION DATA

APPLICATION METHOD	Brush, dipping, pouring, cotton cloth	
CLEANING/THINNING	Water	
THINNER (VOLUME)	Ready for use	

METHOD OF USE

Apply National Rust Remover/Converter on the rusted area directly. Allow the material to penetrate into the rust for 15-20 minutes. All the rusts will soften and convert to a soluble type. Wipe it out and wash with water. Apply second coat similarly if any stains remain on the surface.

HEALTH & SAFETY

SAFETY	As a general rule, avoid skin and eye contact by wearing
PRECAUTIONS	overalls, gloves, goggles, and airmask etc. Spillage on skin
	should immediately be removed by thorough washing with
	water and soap or suitable cleaner. Eye should be flushed with
	fresh water. Avoid inhalation of vapours and paint mist by
	wearing suitable airmask. In the event of ingestion and eye
	contact, seek medical attention immediately. Painting must be
	carried out in well-ventilated area.
	This as industrial product contains corrosive materials and is
	hazardous. It should be used with adequate precautions.
	Smoking in the area should not be permitted. Local safety
	regulations should be followed.





NATIONAL RUST REMOVER / CONVERTER PROTECTIVE COATINGS

TECHNICAL DATA SHEET

STORAGE & HANDLING

STORAGE	Store the rust remover/converter in proper storage conditions as per the local regulations. Keep the rust remover/converter container in sealed condition under shed, away from direct sunlight and extreme temperatures. Do not keep paint material near to any ignition sources. Do not put back the half or unused material back in original container, containing the supplied paint, to avoid contamination. This product contains corrosive materials and is hazardous. It should be handled with care. Keep away
	from the reach of children.

NOTE: We warranty only the quality of our product and this data sheet is based on results obtained from experience and tests. We reserve the right to change data without prior notice. For surface preparation, safety details refer specifier and safety data.

This data sheet supersedes all previous issued.

Issued: 0215

